

8-5-04

PATENT 910000-2042.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

ELMALEH, et al.

U.S. Serial No.

10/827,054

Filing Date

April 19, 2004

For

Method of Monitoring Blood Flow and Metabolic Uptake in

Tissue with Radiolabeled Alkanoic Acid

745 Fifth Avenue New York, New York 10151

EXPRESS MAIL

Mailing Label Number:

EV196822666US

Date of Deposit:

August 4, 2004

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Mail Stop Amendment Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Charles B. Jackson

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450, Alexandria, VA 22313-1450

Sir:

The Examiner's attention is respectfully drawn to the enclosed documents listed on the accompanying PTO-1449.

As this Information Disclosure Statement is being filed before the mailing of the first Office Action, it is believed that no fee is required for entry of this paper. However, the

The PTO did not receive the following listed Items(s) 37 NPL

PATENT 910000-2042.1

Commissioner is hereby authorized to charge any such fee, or credit any overpayment to Deposit

Account 50-0320.

The filing of this Information Disclosure Statement is not an admission that the documents

identified herein constitute prior art to the present application.

Applicants respectfully request that the Examiner considers and makes of record the

documents cited herewith and that a copy of Form PTO-1449 be initialed by the Examiner and

returned to the undersigned.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP

Attorneys for Applicants

Amy Looks

2

Reg. No. 47,739

(212) 588-0800

Encls. PTO Form 1449

References (150)

00208103.DOC

Based on Form PTO-1440 ATTY. DOCKET NO. SERIAL NO. (3/90)910000-2042.1 10/827,054 LIST OF REFERENCES CITED BY APPLICANT APPLICANT (Use several sheets if necessary) David R. Elmaleh **GROUP** FILING DATE April 19, 2004 **U.S. PATENT DOCUMENTS EXAMIN DOCUMENT** DATE **NAME CLASS SUBCLASS** FILING DATE NUMBER ER IF APPROPRIATE INITIAL 4,524,059 06/18/85 Elmaleh et al. AA ΑB 4,323,547 04/06/82 Knust et al. FOREIGN PATENT DOCUMENTS DOCUMENT **CLASS SUBCLASS** DATE COUNTRY TRANSLATION NUMBER AC YES NO OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.) AD Abendschein D.R. et al "Metabolism of beta-methyl[1-11C]heptadecanoic acid in canine myocardium" Int. J. Rad. Appl. Instrum. B (1987) 14(6): 579-85 Ambrose, K.R. et al "Evaluation of the metabolism in rat hearts of two new radioiodinated 3-methyl-branched fatty acid ΑE myocardial imaging agents" Eur. J. Nucl. Med. (1987) 12(10): 486-91. Ambrose, K.R. et al. "Effect of 3-methyl-branching on the metabolism in rat hearts of radioiodinated iodovinyl long AF chain fatty acids" Eur. J. Nucl. Med. (1987) 13(7): 374-9. Antar, M.A. "Radiopharmaceuticals for studying cardiac metabolism" Int. J. Rad. Appl. Instrum. B. (1990) 17(1): 103-AG Bianco, J.A. et al. "Effect of glucose and insulin infusion on the myocardial extraction of a radioiodinated methyl-AH substituted fatty acid" 1986, Eur. J. Nucl. Med. 12: 120-4. Brown, M. et al. "Delineation of myocardial oxygen utilization with carbon-11-labeled acetate" Circulation (1987) ΑĪ 76(3): 687-96. Caldwell, J.H. et al. "Iodophenylpentadecanoic acid-myocardial blood flow relationship during maximal exercise with ΑJ coronary occlusion." 1990. J. Nucl. Med. 31: 99-105. Chien, K.R. et al. "In vivo esterification of a synthetic 125-I labeled fatty acid into cardiac glycerolipids" 1983. Am. J. ΑK Physiol. 245: H693-697. DeGeeter, F. et al. "Relationship between blood flow and fatty acid metabolism in subacute myocardial infarction: a AL study by means of 99m-Tc-Setamibi and 123I-beta-methyl-iodo-phenyl pentadecanoic acid" Eur. J. Nucl. Med. (1994) 21(4): 283-91. DeGrado, T.R. et al. "Quantitative analysis of myocardial kinetics of 15-p-[iodine-125]iodiphenylpentadecanoic acid" AM J. Nucl. Med. (1989) 30(7): 1211-8. DeGrado, T.R. et al. "beta-Methyl-15-p-iodophenylpentadecanoic acid metabolism and kinetics in the isolated rat AN heart" Eur. J. Nucl. Med. (1989) 15(2): 78-80. Demaison, L. et al. "Myocardial metabolism of radioiodinated methyl-branched fatty acids" J. Nucl. Med. (1988) 29(7): AO Dormehl, I.C. et al. "Planar myocardial imaging in the baboon model with iodine-123-15-(iodophenyl)pentadecanoic AP acid (IPPA) and iodine-123-15-(p-iodophenyl)-3-R,S-methylpentadecanoic acid (BMIPP) using time-activity curves for evaluation of metabolism" Nucl. Med. Biol. (1995) 22(7): 837-47. Elmaleh, D.R. et al ***inventor is an author*** "Myocardial extraction of 1-[11C] betamethylheptadecanoic acid" J. AQ Nucl. Med. (1994) 35 (3): 496-503.

Sheet 2 of 8 ATTY. DOCKET NO. SERIAL NO. 910000-2042.1 10/827,054 **APPLICANT** LIST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary) David R. Elmaleh FILING DATE **GROUP** April 19, 2004 Elmaleh, D.R. et al ***this is the inventor*** "Comparison of 11C and 14C-labeled fatty acids and their beta-methyl AR Int. J. Nucl. Med. Biol. (1983) 10(4): 181-7. Elmaleh, D.R. et al. "Myocardial imaging with 9-[Te-123m]telluraheptadecanoic acid" J. Nucl. Med. 22: 994-9. AS Fagret, D. et al. "Kinetics of iodomethylated hexadecanoic acid metabolism in the rat myocardium: influence of the AT number and position of methyl radicals" Int. J. Nucl. Med. Biol. (1985) 12(5): 363-7. Fagret, D., et al. "Iodomethylated fatty acid metabolism in mice and dogs" Eur. J. Nucl. Med. (1988) 14(12): 624-7. ΑU Fink, G.D. et al. "Metabolism of beta-methyl-heptadecanoic acid in the perfused rat heart and liver" J. Nucl. Med. ΑV (1990) 31(11): 1823-30. Fox, K.A. et al. "Efflux of metabolized and nonmetabolized fatty acid from canine myocardium. Implications for AW quantifying myocardial metabolism tomographically" (1975) Circ. Res. 57: 232-243. Freundlieb, C. et al. "Myocardial imaging and metabolic studies with [17-123I]iodoheptadecanoic acid" J. Nucl. Med. AX (1980) 21(11): 1043-50. Fritzberg, A.R. et al. "Iodophenylsulfonamide fatty acid analogs as potential myocardial imaging agents" Int. J. Appl. ΑY Radiat. Isot. (1982) 33(6): 451-3. Fujibayashi, Y. et al. "Myocardial accumulation of iodinated beta-methyl-branched fatty acid analog, [125]](p-ΑZ iodophenyl)-3-(R,S)-methylpentadecanoic acid (BMIPP), and correlation to ATP concentration—II. Studies in saltinduced hypertensive rats" Nucl. Med. Biol. (1993) 20(2): 163-6. Fujibayashi, Y. et al. "Basic studies on I-123-beta-methyl-p-iodophenylpentadecanoic acid (BMIPP) for myocardial BA functional diagnosis: effect of beta-oxidation inhibitor" Fujiwara, S. et al. "Fatty acid imaging with 123I-15-)p-iodophenyl)-9-R,S-methylpentadecanoic acid in acute coronary BB syndrome" J. Nucl. Med. (1999) 40(12): 1999-2006 Goldstein, R.A. et al. "External assessment of myocardial metabolism with C-11 palmitate in vivo". 1980. J. Nucl. BC Med. 21: 342-348. Goodman, M.M. et al. ""Effect of 3-methyl branching on the myocardial retentio of radioiodinated 19-iodo-18-BD. nonadecenoic acid analogues" Int. J. Rad. Appl. Instrum. B. (1989) 16(8): 813-9. Goodman, M.M. et al. "Design, synthesis, and evaluation of omega-iodovinyl- and omega-iodoalkyl-substituted BE methyl-branched long chain fatty acids" J. Med. Chem. (1985) 28(6): 807-15. Goodman, M.M. et al. "Synthesis and evaluation of radioiodinated terminal p-iodophenyl-substituted alpha-and beta-BF. methyl-branched fatty acids" J. Med. Chem. (1984) 27(3): 390-7. Grover-McKay, M. et al. "Identification of impaired metabolic reserve by atrial pacing in patients with significant BG coronary artery stenosis" 1986. Circulation 74:281-292. Hasegawa, S. et al. "Detection of viable myocardium with p-iodophenyl-9-(R,S)-methylpentadecanoic acid in ischemic BH rat myocardium" J. Nucl. Cardiol. (2002) 9(5): 463-70. Hashimoto, A. et al. "Prediction of left ventricular functional recovery in patients with acute myocardial infarction BI using single photon emission computed tomography with thallium-201 and iodine 123-beta-methyl-p-iodophenylpentadecanoic acid" *** article in Japanese*** J. Cardiol. (1995) 26(2): 59-68. Hashimoto, J. et al. "Scintigraphic evaluation of myocardial ischaemia using a new fatty acid analogue: iodine-123-BJ labelled 15-(p-iodophenyl)-9-(R,S)-methylpentadecanoic acid (9MPA)" Eur. J. Nucl. Med. (1999) 26(8): 887-93. Hock, A. et al. "Myocardial imaging and metabolic studies with [17-1231]iodoheptadecanoic acid in patients with BK idiopathic congestive cardiomyopathy" J. Nucl. Med. (1983) 24(1): 22-8. Hoffman, E.J. et al. "Positron emission tomography: principles and quantitation". In: Phelps, M., Mazziotta, J., BL Schelbert, H., eds. Positron emission tomography and autoradiography: principles and applications for the brain and heart. New York: Raven Press; 1986: 237-286. Hoffman, E.J. et al. "Quantitation in positron emission computed tomography: 4. Effect of accidental coincidences" BM 1981. J. Comput. Assist. Tomogr. 5: 391-400. Hoffman, E.J. et al. "Transaxial tomographic imaging of canine myocardium with 11C-palmitic acid". 1977. J. Nucl. BN. Med. 18:57-61.

		·	Sheet 3 of 8	
Based on Form PTO-1449 (3/90)		ATTY. DOCKET NO.	SERIAL NO.	
		910000-2042.1	10/827,054	
LIST OF REFER	ENCES CITED BY APPLICANT	APPLICANT		
. (Use sev	veral sheets if necessary)	David R	t. Elmaleh	
		FILING DATE	GROUP	
		April 19, 2004		
во .	Hull, F.E. et al. "beta-hydroxy fatty acid production during fatty acid oxidation by heart mitochondria" Recent Ad Stud. Cardiac Struct. Metab. (1975) 7: 13-21.			
• ВР	·	I. "Intramyocardial fate of 15-p-iodophenyl-beta-methylpentadecanoic acid (IMPPA): is it a good id myocardial uptake?" Mol. Cell. Biochem. (1989) 88(1-2): 195-200.		
BQ	Isobe, N. et al. "The characteristics of r	e, N. et al. "The characteristics of myocardial fatty acid metabolism in patients with left ventricular hypertrophy" article in Japanese*** Kaku Igaku (1999) 36(7): 725-33.		
BR	Isobe, N. et al. "Usefulness of 201TI/123I-BMIPP myocardial SPECT to evaluate myocardial viability and area at risk in acute myocardial infarction—comparison with 201TI/99mTc-PYP dual SPECT" ***article in Japanese*** Kaku Igaku (1997) 34(4): 213-20.			
BS	Ito, Y. et al. "Relation between thalliun	Ito, Y. et al. "Relation between thallium-201/iodine 123-BMIPP substraction and fluorine 18 deoxyglucose polar maps in patients with hypertrophic cardiomyopathy" J. Nucl. Cardiol. (2000) 7(1): 16-22		
BT ^c	Jadvar, H. et al. "SPECT and PET in th	e evaluation of coronary artery disease"	Radiographics (1999) 19(4): 915-26	
BU	Jaffe, A.S. et al. "Enhancement of meta 15:77-89.	bolism of jeopardized myocardium by n	ifedipine". 1987. Int. J. Cardiol.	
BV.	Jaszczak, R.J. "SPECT: state-of-the-art	scanners and reconstruction strategies".		
BW		Radiopharmaceuticals and brain pathology studied with PET and SPECT. Boca Raton: CRC Press; 1991: 93–118. Jones, G.S. et al. "Synthesis and biologic evaluation of 1-[11C]-3,3-dimethylheptadecanoic acid" J. Nucl. Med. (1988)		
BX	Jones, G.S. et al. ***inventor is an author*** "Synthesis and biodistribution of a new 99mtechnetium fatty acid" Nucl. Med. Biol. (1994) 21(1): 117-23.			
BY 50	Kawamoto, M. et al. "Value of fatty acid imaging using 123I-beta-methyl-iodophenyl pentadecanoic acid (BMIPP) to assess viability of infarcted myocardium" ***article in Japanese*** Kaku Igaku (1991) 28(9): 1081-9 Kawamura, Y. et al. "Evaluation of branched chain fatty acid, BMIPP [beta-methyl-omega-(p-iodophenyl)-pentadecanoic acid] for myocardial imaging—basic experiments" Kaku Igaku (1988) 25(11): 1221-7. Keriel, C.M. et al. "The intramyocardial fate of [1-14C]palmitate, iodopalmitate, and iodophenylpentadecanoate in isolated rat hearts. A contribution to the choice of an iodinated fatty acid as a tracer of myocardial metabolism" J. Mol.			
BZ				
CA ·				
СВ	Cell. Cardiol. (1990) 22(12): 1379-92. Kihara, K. et al. "Clinical study on myocardial imaging with beta-methyl-p-1231)-iodophenylpentadecanoic acid in patients with mitochondrial myopathy" ***article in Japanese*** Kaku Igaku (1992) 29(4): 453-61.			
cc .	Kim, Y. et al. "Detection of impaired fatty acid metabolism in right ventricular hypertrophy: assessment by I-123 betamethyl iodophenyl pentadecanoic acid (BMIPP) myocardial single-photon emission computed tomography" Ann. Nucl. Med. (1997) 11(3): 207-12.			
CD		of myocardial metabolism with [1-11C]	palmitate in rabbit hearts" 1979. Am. J.	
CE.	Knabb, R.M. et al. "The temporal patte	Knabb, R.M. et al. "The temporal pattern of recovery of myocardial perfusion and metabolism delineated by positron		
CF	Knapp, F.F. et al. "Pharmacokinetics of	emission tomography after coronary thrombolysis". 1987 J. Nucl. Med. 28:1563-1570. Knapp, F.F. et al. "Pharmacokinetics of radioiodinated fatty acid myocardial imaging agents in animal models and human attadica". O. I. Nucl. Med. (1996) 40(3): 353-60.		
CG	Knapp, F.F. et al. "Iodine-123-labeled	human studies" Q. J. Nucl. Med. (1996) 40(3): 252-69 Knapp, F.F. et al. "Iodine-123-labeled fatty acids for myocardial single-photon emission tomography: current status		
СН		and future perspectives" Eur. J. Nucl. Med. (1995) 22(4): 361-81. Knapp, F.F. et al. "New Radioiodinated methyl-branched fatty acids for cardiac studies" Eur. J. Nucl. Med. (1986) 12		
CI 'è	Kobayashi, H. et al. "Fatty acid metabolic and perfusion abnormalities in hypertrophied myocardium assessed by dual tracer tomography using thallium-201 and iodine-123-beta-methylpentadecanoic acid" ***article in Japanese*** J. Cardiol. (1994) 24(1): 35-43.			
CJ -		metabolism of the methyl-branched fatty	y acid (BMIPP) in animals and humans"	
СК		racers for myocardial imaging" Semin. N	lucl. Med. (1990) 20 (2): 119-29.	
CL Kurata, C., et al. "Influence of blood (1997) 38(7): 1079-84		ibstrate levels on myocardial kinetics of	idine-123-BMIPP" J. Nucl. Med.	

				Sheet 4 c	
	rm PTO-1449		ATTY. DOCKET NO.	SERIAL NO.	
3/90)			910000-2042.1	10/827,054	
LIS	LIST OF REFERENCES CITED BY APPLICANT		APPLICANT		
•	(Use several sheets if necessary)		David R. Elmaleh		
			FILING DATE	GROUP	
			April 19, 2004		
	CM '	Lin, Q. et al. "Effects of configuration rats"	on the myocardial uptake of radioi	odinated 3(R)-BMIPP and 3(S)-BMIPP in	
		J. Nucl. Med. (1997) 38(9): 1434-41			
	CN		tion of positron emission tomography". In: Frost, J.J., Wagner, H.N., eds. s, neurotransmitters, and enzymes. New York: Raven Press; 1990: 37-50.		
	СО	Livni, E. et al. ***inventor is listed as 2	2nd author*** "Radioiodinated beta	n-methyl phenyl fatty acids as potential tracer	
	for myocardial imaging and metabolism" Eur. Heart J. (1985): 6 Suppl. B: 85-9.				
	СР	for positron emission tomography" J. N	for positron emission tomography" J. Nucl. Med. (1982) 23(2): 169-75. Livni, E. et al ***inventor is an author*** "(3H/14C) beta-methylheptadecanoic acid subcellular distribution and lipid incorporation in mouse heart" Lipids (1990) 25(4): 238-40.		
	cQ				
	CR	Machulla, H.J et al. "Biochemical cond	cept and synthesis of a radioiodinat	ed phenyl fatty acid to in vivo metabolic	
	CS &	studies of the myocardium" 1980. Eur. Machulla, H.J et al. "Comparative eval		C-11, Cl-34m, Br-77, and I-123 for metabolic	
<u> </u>	CS /\	studies of the myocardium: concise cor	mmunication" 1978. J. Nucl. Med.	19: 298-302.	
	CT ·	Miller, D.D. et al. "New Radionuclides			
	CU .			rdial fatty acid metabolism in patients with	
	coronary heart disease: evaluation using iodine-123 beta-methyl-p-iodophenyl-pentadecanoic acid ***articles Japanese*** J. Cardiol. (1999) 34(2): 61-9.				
	CV.		Mori, H. et al. "Relationship between ventricular arrhythmias and myocardial fatty acid metabolism in patient coronary heart disease: evaluation using iodine-123 beta-methyl-p-iodophenyl-pentadecanoic acid ***article		
	Japanese*** J. Cardiol. (1999) 34(2): 61-9.				
	CW	Myars, D.W. et al. "Substrate use in iso <i>Physiol</i> . 253:107-114.	rars, D.W. et al. "Substrate use in ischemic reperfused canine myocardium quantitative considerations". 1987 A visiol. 253:107-114.		
	Nakajima, K. et al. "Myocardial fatty acid imaging with 1231-labelled 9-methyl-branched pentadecan			nethyl-branched pentadecanoic acid (9MPA)	
	CY	using SPET" Nucl. Med. Commun. (1998) 19(9): 839-47. Nishimura, T et al. "Assessment of myocardial viability by using newly developed myocardial SPECT in			
		Circ. J. (1992) 56(6): 603-7.	Circ. J. (1992) 56(6): 603-7.		
	CZ	Nishimura, T et al. "beta-methyl-p(1231)-iodophenyl pentadecanoic acid single-photon emission computer tomography in cardiomyopathy" Int. J. Card Imaging (1999) 15(1): 41-8.			
	DA		et al. "Prognosis of hypertrophic cardiomyopathy: assessment by 1231-BMIPP (beta-methyl-p-		
(123I)iodophenyl pentadecanoic acid) myocardial single photon emission comp (1996) 10(1): 71-8.				reomputed tomography Ann. Nuc. Wed.	
	DB	Nishimura, T. et al. "Newly developed (SPECT)" Jpn. Circ. J. (1990) 54(3): 3		le photon emission computer tomography	
Ì	DC \S	Nishimura, T. et al. "Fatty acid myocar	4(3): 328-32. nyocardial imaging using 123I-beta-methyliodophenylpentadecanoic acid (BM)		
İ	20 ,	comparison of myocardial perfusion and fatty acid utilization in canine myocardial infarction (occlusion and			
	reperfusion model) Eur. J. Nucl. Med. (1989) 15(7): 341-5. Nishimura, T. et al. "Fatty acid myocardial imaging using 123I-beta-methyl iodophenyl pentadecanoic aci				
		comparison of myocardial blood perfusion model) Kaku Igaku (1988)	perfusion and fatty acid metabolism in canine myocardial infarction (occlusion an		
	DE .	Nishimura, T. et al. "Clinical results w	ith beta-methyl-p-(123I)iodopheny	Ipentadecanoic acid, single-photon emission	
	DF ·	Otto, C.A. et al. "Radioiodinated fatty		.2): S65-71 cts on chain length" J. Nucl. Med. (1981)	
I	טר ו	22(7): 613-8.			
			CC10CTN: 1 11		
	DG	Otto, C.A. et al. "Subcelllar distributio 12(3): 223-6.	n of [125I]iodoaryl beta-methyl fat	tty acids" Int. J. Nucl. Med Biol. (1985)	
	DG DH ·	Otto, C.A. et al. "Subcelllar distributio 12(3): 223-6.		tty acids" Int. J. Nucl. Med Biol. (1985) r beta oxidation? Concise communication" J	

			Sheet 5 of 8	
orm PTO-1449		ATTY. DOCKET NO.	SERIAL NO.	
		910000-2042.1	10/827,054	
LIST OF REFERENCES CITED BY APPLICANT		APPLICANT		
(Use sev	eral sheets if necessary)	D	avid R. Elmaleh	
		FILING DATE	GROUP	
		April 19, 2004		
DJ	Poe, N.D. "Rationale and radiopharm	naceuticals for myocardial imaging"	Semin. Nucl. Med. (1977) 7(1): 7-14.	
DK	•	f regional substrate utilization rates b	by emission tomography" 1978. Science 199:	
DL	Ray, J. et al. "Long-chain fatty acids	increase basal metabolism and depoloarize mitochondria in cardiac muscle cells"		
рм %	Reske, S.N. et al. "Assessment of reg	Reske, S.N. et al. "Assessment of regional myocardial uptake and metabolism of omega-(p-1231-phenyl) pentadecanoid		
DN	1	Reske, S.N. et al. "Experimental basis of metabolic imaging of the myocardium with radioiodinated aromatic free fatty		
DO	Am. J. Physiol. Imaging (1986) 1(4): 214-29. Reske, S.N. et al. "15-(p-(I-123)phenyl)) pentadecanoic acid as a tracer of lipid metabolism. Comparison with 1-C-14-			
-	Rosamond, T.L. et al. "Metabolic fate	e of radiolabeled palmitate in ischen	nic canine myocardium: implications for	
	positron emission tomography". 1987. J. Nucl. Med. 28:1322-1329. Sato, H. et al. "Prediction of functional recovery after revascularization in coronary artery disease using (18) F-FDG			
			lial blood flow and metabolism" 1985	
DR·	Circulation 72: TV122-133.			
DS ,	Biomed. Eng. (2000) 28(8): 922-9.	Schelbert, H.R. "PET contributions to understanding normal and abnormal cardiac perfusion and metabolism" Ann. Biomed. Eng. (2000) 28(8): 922-9.		
DT.	Schelbert, H.R. et al. "Imaging metabolism and biochemistry a new look at the heart". 1983. Am. Heart J. 105:522-526.			
DU _.	Schelbert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron-computed tomography. IV. In vivo evaluation of acute demand-induced ischemia in dogs". 1983. Am. Heart J. 106:736-50.			
DV.	Schelbert, H.R. et al. "C-11 palmitate positron computed tomography. III.	bert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with on computed tomography. III. In vivo demonstration of the effects of the substrate availability on myocardial		
DM ['] €	Schelbert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron-computed tomography. IV. In vivo evaluation of acute demand-induced ischemia in dogs" 1983. Am. Heart J.			
DX . Schelbert. H.R. et al. "Effects of substrate availability on myocardial C-11 palmitate kinetics by PET in normal sul				
DY				
DZ .	Schon, H.R. et al. "C-11 labeled palmitic acid for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography. II. Kinetics of C-11 palmitic acid in acutely ischemic myocardium".			
EA	Schon, H.R. et al. "C-11 labeled palmitic acid for the noninvasive evaluation of regional myocardial fatty acid metabolism with positron computed tomography. I. Kinetics of C-11 palmitic acid in normal myocardium". 1982. Am.			
EB	Shiotani, H. et al. "Myocardial SPECT with iodine-123-labeled beta-methyl branched fatty acid in patients with angina			
EC	Shogase, T. et al. "A role of nuclear medicine in diagnosing cardiac disease—clinical use of 123I-BMIPP and 123I-MIBG"			
ED	Sloof, G.W. et al. "Evaluation of hea	rt-to-organ ratios of 123I-BMIPP an	nd the dimethyl-substituted 1231-DMIPP fatty	
EF			riew". 1985 Circulation 72: IV22-30.	
EG Sobel, B.E. "Diagnostic promise of p		positron tomography". 1982. Am. Ho	eart J. 103: 673-681	
	DJ DK DL DM DN DO DP DQ DR DS DT DU DV DW DV DV DV EA EB EC ED EF	DJ Poe, N.D. "Rationale and radiopharm DK Raichle, M.E. et al. "Measurement of 986-987. DL Ray, J. et al. "Long-chain fatty acids Am. J. Physiol. Heart Circ. Physiol., I Reske, S.N. et al. "Assessment of regacid with serial single photon emission acids" Am. J. Physiol. Imaging (1986) 1(4): DO Reske, S.N. et al. "Experimental basiacids" Am. J. Physiol. Imaging (1986) 1(4): DO Reske, S.N. et al. "15-(p-(I-123)pher palmitic acid in murine tissues" 1984 DP Rosamond, T.L. et al. "Metabolic fat positron emission tomography". 198 DQ Sato, H. et al. "Prediction of function and (123)I-BMIPP SPECT" Chest (2 and (123)I-BMI	ST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary) DI FILING DATE April 19, 2004 DI Poe, N.D. "Rationale and radiopharmaceuticals for myocardial imaging" Baichle, M.E. et al. "Measurement of regional substrate utilization rates 1 986-987. DL Ray, J. et al. "Long-chain fatty acids increase basal metabolism and depo Am. J. Physiol. Heart Circ. Physiol. (2002) 282(4): H1495-501 DM % Reske, S.N. et al. "Sessement of regional myocardial uptake and metabose acid with serial single photon emission tomography buklearmedizin (198 Pesses, S.N. et al. "Sessement of regional myocardial uptake and metaboseid with serial single photon emission tomography buklearmedizin (198 Pesses, S.N. et al. "15-(p-(1-123)phenyll)) pentadecanoic acid as a tracer or palmitic acid in murine tissues" 1984. J. Nucl. Med. 25: 1335-1342. DP Reske, S.N. et al. "15-(p-(1-123)phenyll)) pentadecanoic acid as a tracer or palmitic acid in murine tissues" 1984. J. Nucl. Med. 28: 1332-1329. DQ Sato, H. et al. "Prediction of functional recovery after revascularization in and (123)LBMIPP SPECT" Chest (2000) 117(1):65-72. DR: Schebert, H.R. "Positron emission tomography." 1987. J. Nucl. Med. 28: 1322-1329. DS Schebert, H.R. "Positron emission tomography." Assessment of myocard Circulation 72: TV122-133. DS Schebert, H.R. "Positron emission tomography." Assessment of myocard Circulation 72: TV122-133. DS Schebert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of nesting passion tomography. H. In vivo evaluation of acute demand J. 106:736-50. DV Schebert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of positron-computed tomography. H. In vivo evaluation of acute demand J. 106:736-50. DY Schebert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of positron-computed tomography. H. In vivo evaluation of acute demand J. 106:736-50. DY Schebert, H.R. et al. "C-11 palmitate for the noninvasive evaluation of positron-computed tomography. H. In vivo evaluation of acute demand J. 106:	

Sheet 6 of 8

				Sheet 6 of	
Based on Form PTO-1449		ATTY. DOCKET NO.	SERIAL NO.		
. (3/90)		910000-2042.1	10/827,054		
LIS	LIST OF REFERENCES CITED BY APPLICANT		APPLICANT		
-	(Use several sheets if necessary)		David R. Elmaleh		
			FILING DATE	GROUP	
			April 19, 2004		
	ЕН √°		eoxyglucose method for the measurement of local cerebral glucose utilization: Theory, n the conscious and anesthetized albino rat" 1977. J. Neurochem. 28: 879-916.		
,	EI .			.B. Saunders; 1987. Chapters 19-20, and 22.	
	EJ ·	Stork, G. et al. "Total Syntheses of (-5875-5876.	-)-Histrionicotoxin and (-)-Histrionicotoxin 235A" 1990. J. Am. Chem. Soc. 112:		
	EK		mthesis of (Z)-1-Iodo-1-Alkenes" 198	89. Tetrahedron Lett. 30: 2173-2174.	
	EL	Suzuki, A. et al. "Comparison of rest tomography using quantitative polar		canoic acid (BMIPP) and thallium-201 ' Jpn. Circ. J. (1997) 61(2): 133-8.	
	EM.	acid distribution abnormality in patie	Takahashi, N. et al. "Clinical usefulness of myocardial iodine-123-15-(p-iodophenyl)-3(R,S)-methyl-pentadecanoic acid distribution abnormality in patients with mitochondrial encephalomyopathy based on normal data file in bulls-eye polar map" ***article in Japanese*** J. Cardiol. (1998) 31(1): 1-10.		
	EN			in Japanese*** Nippon Rinsho (1998)	
	EO		ssment of myocardial fatty acid metal	bolism by PET and SPECT" J. Nucl. Cardiol.	
	EP	Tamaki, N. et al. "Regional metaboli	Tamaki, N. et al. "Regional metabolic abnormality in relation to perfusion and wall motion in patients with myocardial infarction: assessment with emission tomography using an iodinated branched fatty acid analog" J. Nucl. Med. (1992)		
	EQ .	Taniguchi, M. et al. "Separate evaluation of beta-methyl fatty acid uptake and perfusion in rat myocardium" ***article in Japanese*** Kaku Igaku (1989) 26(12): 1523-30.			
	ER	Ter-Pogossian, M.M. et al. "Regional assessment of myocardial metabolic integrity in vivo by positron-emission tomography with 11C-labeled palmitate". 1980. Circulation 61:242-255.			
	ES	Thrall, J.H. et al. "Development of nonionic gamma-emitting radiopharmaceuticals for myocardial imaging" J. Nucl. Med. (1978) 19(8): 969-71.			
	ET		radioiodinated heptadecanoic acid in	the normal canine heart" Circulation (1985)	
	EU	Weiss, E.S. et al. "Quantification of i	Veiss, E.S. et al. "Quantification of infarction in cross sections of canine myocardium in vivo with positron emission ansaxial tomography and 11C-palmitate". 1977. Circulation 55: 66-73.		
	EV		Weiss, E.S. et al. "External detection and visualization of myocardial ischemia with 11C-substrate in vitro and in vivo		
	EW	Westera, G. et al. "A comparison between terminally radioiodinated hexadecanoic acid (I-HA) and 201-Tl-thallium chloride in the dog heart. Implications for the use of I-HA for myocardial imaging" Eur. J. Nucl. Med. (1980) 5(4): 339-43.			
	EX	Wieler, H. et al. "Standardized noninvasive assessment of myocadial free fatty acid kinetics by means of 15-(p-iodo-phenyl) pentadecanoic acid (123I-pPPA) scintigraphy: II. Clinical Results Nucl. Med. Commun. (1992) 13(3): 168-85.			
	EY	Yamamichi, Y. et al. "Metabolism of	Yamamichi, Y. et al. "Metabolism of iodine-123-BMIPP in perfused rat hearts" J. Nucl. Med. (1995) 36(6): 1043-50.		
	EZ	Yamamoto, K. et al ***inventor is an author*** "Dual tracer autoradiographic study of beta-methyl-(1-14C) heptadecanoic acid and 15-p-(131I)-iodophenyl-beta-methylpentadecanoic acid in normotensive and hypertensive rats" J. Nucl. Med. (1986) 27(7): 1178-83.			
	FA	Yazaki, Y. et al. "Assessment of myo	ocardial fatty acid metabolic abnormalities in patients with idiopathic dilated SPECT: correlation with clinicopathological findings and clinical course" Heart		
	FB S			0-1alkenes." Department of Chemistry, 17, pp 2173-2174, 1989	
	FC		Evan Chemical Laboratories, The O	opure Bilding Block for Construction of the hio State University, Columbus OH 43210	

Sheet 7 of 8

				Sheet 7 of 8	
	Based on Form PTO-1449 (3/90)		ATTY. DOCKET NO.	SERIAL NO.	
•	/ / 90)		910000-2042.1	10/827,054	
L	LIST OF REFERENCES CITED BY APPLICANT		APPLICANT		
· ·	(Use se	everal sheets if necessary)	David R. Elmaleh		
			FILING DATE	GROUP	
		·	April 19, 2004		
4	FD ,	William D. Wulff and Timothy S. Power Carbene Complexes as Ester Synthons. Chicago, Chicago Illinois 60637, Octob	"Searle Chemistry Laboratory, Departm	nent of Chemistry, University of	
•	FE		hemical Control of Wittig Olefination Involving Reaction of Fluorine- dehydes." Department of Chemistry, University of Iowa, Iowa City, Iowa Soc. 1985, 107, 2811-2812		
	FG	Acid by Decmposition of a 3,3 (1,5-Per	M.M. Goodman, et al. "New Myocardial Imaging Agents: Synthesis of 15-(p-Iodephenyl)-3(R,S)-methylpentadecanoic Acid by Decmposition of a 3,3 (1,5-Pentanediyl)triazene Precursor." Nucealr Medicine Group, Health and Safety Research Division, Oak ridge National Laboratory, Oak Ridge, Tennessee 37830. J. Org. Chem. 1984, 49, 2322-2325		
	FH		Andre B. Charette, et al. "Improved Procedure for the Synthesis of Enantiometrically Enriched Cyclopropylmethanol Derivatives." Department de Chimie, University of Montreal, Quebec, Canada H3C 3J7. J. Org. Chem. 1995, 60, 1081-1083		
	FI	University of Crete, Heraklion, Crete, C	Helen E. Savaki, "Sokoloff's ¹⁴ C-deoxyglucose method." Department of Basic Sciences, Faculty of Medicine, University of Crete, Heraklion, Crete, Greece; and Institute of Applied and Computational Mathemeatics, FO.R.T.H., Heraklion, Crete, Greece. Brain Research Bulletin, Vol. 50, Nos. 5/6, pp 405-407, 1999		
	FJ	Robert C. Marshall, et al. "Estimating glucose metabolism using glucose analogs and two tracer kinetic models in isolated rabbit heart." Am. J. Physiol. 275 (Heart Cir. Physiol. 44): H668-H679, 1998 Leonard M. Freeman, et al., "Cardiovascular Nuclear Medicine, Part 1." University of Minn., Seminars in Nuclear Medicine, Vol XXIX, No. 3 July 1999; pp 237-258.			
	FK ,				
	FL		Elmaleh Dr. et al., "The Synthesis and Evaluation of Radioiodinated 14-(iodophenyl)- 3-(R,S) methyltetradecanoic Acid." Nuclear Medicine Communications 6, 287-297 (1985) H. Wieler et al., "Standardized non-invasive assessment of myocardial free fatty acid kinetics by means of 15-(paraodo-phenyl) pentadecanoic acid (123 I-pPPA) scintigraphy: I. Method." Nuclear Medicine Communications 11, 865-878 1990) Van Der Wall EE, et al., "Dynamic Myocardial Scintigraphy with 123 I-Labeled Free Fatty Acids in Patients with Myocardial Infraction." Eur. J. Nucl. Med. (1981) 6:383-389		
	FM ·	H. Wieler et al., "Standardized non-invaiodo-phenyl) pentadecanoic acid (123 I-p (1990)			
	FN [·]				
	FO .		al Evaluation of 5-Methyl-branched-chain ω-[¹⁸ F] Fluorofatty Acid: A Potential ron Emission Tomography." Nuclear Medicine & Biology, Vol. 23, pp. 303-308,		
	FP '	Norman D. Poe, et al. "Experimental Ba Med. 17: 1077-1082, 1976. Vol. 17, No	al Basis for Myocardial Imaging with ¹²³ I-Labeled Headecenoic Acid." J. Nucl. 7, No. 12		
	FQ	E. E. Van Der Wall, "Myocardial Imagi Journal (1985) 6 (Supplement B), 29-38	ging with Radiolabelled Free Fatty Acids: A critical Review" European Heart 38		
	FR	Norman D. Poe M.D., et al., "Myocardi 124:419-424, August 1977	al imagining with ¹²³ I-Hexadecenoic Ac	eid." Vol. 124, No. 2, Radiology	
1-1-1-1	FS	Van Der Waal EE, et al., "I-123 Labele Imaging in Coronary Heart Disease." Et		th Thallium-201 for Myocardial	
	FT	Anna-Liisa Kairento, et al., "Comparati Thallium-201 in the Detection of Infrac pp. 333-338, 1988			

Document4